
























MC9090 Accessories

Cradles	
	<p>Single Slot Serial/USB Cradle CRD9000-1001SR</p> <p>Cradle enables Serial or USB communication between the MC9000 and a host PC. The cradle also charges the MC9000 with a standard battery and a standard spare battery stored in the cradle. Size (WxDxH): 15.24 cm x 15.24 cm x 13.02 cm (6.0 in. x 6.0 in. x 5.13 in.)</p>
	<p>Single Slot Serial/USB Cradle Kit CRD9000-110SR</p> <p>Includes cradle (CRD9000-1001SR), power supply (KT-14000-148R) and AC line cord (23844-00-00R).</p>
	<p>Single Slot Serial/USB Cradle Kit CRD9000-111SR</p> <p>Includes cradle (CRD9000-1001SR) and power supply (KT-14000-148R).</p>
	<p>Four Slot Charge Only Cradle CHS9000-4001CR</p> <p>Cradle charges up to four MC9000s simultaneously in approximately two hours. Ideal for customers who communicate wirelessly but need a cradle for battery charging. Size (WxDxH): 48.77 cm x 15.24 cm x 10.16 cm (19 in. x 6.0 in. x 4.0 in.)</p>
	<p>Four Slot Charge Only Cradle Kit CRD9000-410CR</p> <p>Includes cradle (CHS9000-4001CR), power supply (50-14000-241R), DC line cord (50-16002-029R) and AC line cord (23844-00-00R).</p>
	<p>Four Slot Charge Only Cradle Kit CRD9000-411CR</p> <p>Includes cradle (CHS9000-4001CR), power supply (50-14000-241R) and DC line cord (50-16002-029R).</p>
	<p>Four Slot Ethernet Cradle CRD9000-4001ER</p> <p>Provides communication via Ethernet between the MC9000 and a host PC. The cradle also charges the mobile computer with a standard battery. Size (WxDxH): 48.77 cm x 15.24 cm x 10.16 cm (19 in. x 6.0 in. x 4.0 in.)</p>
	<p>Four Slot Ethernet Cradle Kit CRD9000-410ER</p> <p>Includes cradle (CRD9000-4001ER), power supply (50-14000-241R), DC line cord (50-16002-029R) and AC line cord (23844-00-00R).</p>
	<p>Four Slot Ethernet Cradle Kit CRD9000-411ER</p> <p>Includes cradle (CRD9000-4001ER), power supply (50-14000-241R) and DC line cord (50-16002-029R).</p>









MC9090 Accessories (continued)

Cradles (continued)	
	<p>Vehicle Cradle VCD9000-K000R</p> <p>Provides secure mounting of the MC909X-K in a vehicle. Charges the MC909X-K and a spare battery. Provides a serial port for data communication between an MC909X-K and an external device. Includes power cable.</p>
	<p>Vehicle Cradle VCD9000-S000R</p> <p>Provides secure mounting of the MC909X-S in a vehicle. Charges the MC909X-S and a spare battery. Provides a serial port for data communication between an MC909X-S and an external device. Includes power cable.</p>
	<p>Spare Battery Adapter for MC90XX-S battery (BTRY-MC90SAB00-01) BAP9000-100R</p> <p>The adapter is required to charge an MC90XX-S spare battery in the CRD9000-1001SR cradle or the SAC9000-4000R charger.</p>
	<p>MC90XX Fork Lift Cradle FLC9000-1000R</p> <p>Provides secure mounting solution for MC906X-K, MC909X-K, MC9090-G, and MC9060-G (WWAN configurations included; Exceptions: all MC90XX-S configurations and MC9090-G with RFID). The cradle is equipped with rugged RS232 and USB ports which are capable of powering and communicating with tethered devices such as an ADC Scanner or 3rd party printer. Customers can choose to purchase the MC90XX Fork Lift Cradle alone or as a kit which includes the cradle, power converter, and cables.</p>
	<p>MC90XX Fork Lift Cradle Low Voltage Kit FLC9000-102R</p> <p>Includes MC90XX Fork Lift Cradle (FLC9000-1000R), Low Voltage Power Converter (50-14000-252R), Fork Lift Cradle Power Cable (25-103872-01R). The Power converter provides power to the cradle and charges the battery of docked a MC9000 mobile computer. As well, the communication ports are powered via the power converter. Low voltage kit supports fork lifts ranging from 9 volts to 30 volts.</p>
	<p>MC90XX Fork Lift Cradle High Voltage Kit FLC9000-101R</p> <p>Includes MC90XX Fork Lift Cradle (FLC9000-1000R), Low Voltage Power Converter (50-14000-251R), Fork Lift Cradle Power Cable (25-103872-01R). The Power converter provides power to the cradle and charges the battery of docked a MC9000 mobile computer. As well, the communication ports are powered via the power converter. High voltage kit supports fork lifts ranging from 30 volts to 75 volts.</p>










MC9090 Accessories (continued)

Charging	
	<p>Universal Battery Charger Adapter 21-32665-48R</p> <p>Charges an MC909X-K or -G battery as a stand-alone charger or with the UBC2000 base.</p>
	<p>Universal Battery Charger Adapter 21-32665-38R</p> <p>Charges an MC909X-S battery as a stand-alone charger or with the UBC2000 base.</p>
	<p>UBC Four Slot Base UBC2000-I500DR</p> <p>Includes power supply (50-14000-242R) and DC cable (50-16002-011R). Requires AC line cord.</p>
	<p>12 Volt Auto Charge Cable (cigarette lighter) VCA9000-12R</p> <p>Requires Cable Adapter Module (ADP9000-100R).</p>
	<p>24 Volt Auto Charge Cable (cigarette lighter) VCA9000-24R</p> <p>Requires Cable Adapter Module (ADP9000-100R).</p>
	<p>Four Slot Battery Charger SAC9000-4000R</p> <p>Charges up to four MC9000 batteries. Requires power supply (50-14000-242R), DC line cord (50-16002-011R) and AC line cord. To charge an MC90XX-S battery purchase BAP9000-100R battery adapter. Size (WxDxH): 15.24 cm x 15.24 cm x 10.16 cm (6.0 in. x 6.0 in. x 4.0 in.)</p>
No Photo Available	<p>MC9000 Battery Charger Kit SAC9000-400R</p> <p>Includes Four Slot Battery Charger (SAC9000-4000R), power supply (50-14000-242R), DC Line Cord (25-72614-01R) and US AC Line Cord (23844-00-00R).</p>
	<p>Spare Battery BTRY-MC90SAB00-01</p> <p>For MC90XX-S only (1550 mAh).</p>
No Photo Available	<p>Spare Battery KT-2161261-01</p> <p>Spare Lithium Ion Battery for MC90XX-G and MC90XX-K only. (2200mAh)</p>
	<p>Spare Battery BTRY-MC90SAB00-10</p> <p>For MC90XX-S only. Pack of 10 (1550 mAh)</p>









MC9090 Accessories (continued)

Charging (continued)	
	<p>Spare Battery BTRY-MC90SAB00-50</p> <p>For MC90XX-S only. Pack of 50 (1550 mAh)</p>
No Photo Available	<p>Spare Battery BTRY-MC90GKAB0E-10</p> <p>Spare Lithium Ion Battery for MC90XX-G and MC90XX-K only. Pack of 10 (2200mAh)</p>
No Photo Available	<p>Spare Battery BTRY-MC90GKAB0E-50</p> <p>Spare Lithium Ion Battery for MC90XX-G and MC90XX-K only. Pack of 50 (2200mAh)</p>
	<p>UBC Adapter Power Supply Kit KT-32665-02R</p> <p>Includes power supply (50-14001-013R), DC cable (50-16002-004R) and four rubber feet.</p>
	<p>Power Supply KT-14000-148R</p> <p>100 - 240 VAC input, 12 VDC 3.33 A output.</p>
	<p>Power Supply 50-14000-242R</p> <p>85 - 264 VAC input, 15 VDC 5 A output.</p>
	<p>Power Supply 50-14000-241R</p> <p>90 – 264 VAC input, 12 VDC 9 A output.</p>
	<p>DC Line Cord 50-16002-029R</p> <p>Provides power from the power supply to the four slot cradle.</p>
	<p>DC Line Cord 25-72614-01R</p> <p>Compatible with power supply 50-14000-242R.</p>
Cables	
	<p>USB Sync Cable 25-64396-01R</p> <p>Provides USB communication with a host computer through the MC9000 Single Slot and Four Slot Cradles.</p>










MC9090 Accessories (continued)

Cables (continued)	
	<p>RS232 Cable 25-62164-01R</p> <p>Provides serial communication to the host or printer and can be used for AC charging. Requires cable adapter module (ADP9000-100R must be ordered separately).</p>
	<p>USB Cable 25-62166-01R</p> <p>Provides USB communication to the host. Requires cable adapter module (ADP9000-100R must be ordered separately).</p>
	<p>DEX Cable with Floating Jack Screws 25-62167-03R</p> <p>Requires cable adapter module (ADP9000-100R must be ordered separately).</p>
	<p>Printer Cable 25-62168-01R</p> <p>Connects the MC9000 to a Paxar printer. Requires Cable Adapter Module (ADP9000-100R).</p>
	<p>Printer Cable 25-62169-01R</p> <p>Connects the MC9000 to an O'Neil printer. Requires Cable Adapter Module (ADP9000-100R).</p>
	<p>Printer Cable 25-62170-02R</p> <p>Connects the MC9000 to a Zebra QL series printer. Requires Cable Adapter Module (ADP9000-100R).</p>
	<p>Modem Cable 25-63856-01R</p> <p>Allows single slot cradle to be used as a modem cradle.</p>
	<p>Cable Adapter Module ADP9000-110R</p> <p>Attaches to the bottom of the MC909X. Provides power (5 VDC 350 mA) for use with the LS3408ER scanner.</p>
	<p>Cable Adapter Module ADP9000-100R</p> <p>Attaches to the bottom of the MC909X. Provides power for operating and charging the MC909X and provides serial communication.</p>











MC9090 Accessories (continued)

Cables (continued)	
	<p>Serial Cable 25-63852-01R</p> <p>Provides serial communication from the Single Slot Serial/USB cradle to a host computer.</p>
<p>No Photo Available</p>	<p>USB Cable 25-71918-01R</p> <p>USB cable for FLC9000-1000R.</p>
<p>No Photo Available</p>	<p>Serial Cable 25-71917-01R</p> <p>Serial cable for FLC9000-1000R.</p>
Soft Goods	
	<p>Protective Boot 11-67218-04R</p> <p>Provides additional protection for MC90XX-G configurations.</p>
	<p>Shoulder Strap 58-40000-007R</p> <p>Universal shoulder strap for holster (SG-MC9021210-01R).</p>
	<p>Holster SG-MC90212112-01R</p> <p>Soft material holder for MC90XX-G only.</p>
	<p>Belt 11-08062-01R</p> <p>For Holster (SG-MC9021210-01R) for MC90XX-G only.</p>
	<p>Quick Release Holster SG-MC9021110-01R</p> <p>Soft material holder with belt clip for MC90XX-K only.</p>
	<p>Quick Release Holster SG-MC9021110-02R</p> <p>Soft material holder with belt clip for MC90XX-S only.</p>
	<p>Handstrap Kit KT-66447-03R</p> <p>Replacement handstraps for the MC9000-G (3-pack).</p>






MC9090 Accessories (continued)

Soft Goods (Continued)	
	<p>Handstrap Kit SG-MC9023241-90R</p> <p>Replacement handstraps for the MC9090-K (5-pack).</p>
	<p>Handstrap Kit SG-MC9023241-60R</p> <p>Replacement handstraps for the MC9060-K (5-pack).</p>
	<p>Heated Boot SG-MC9024242-01R</p> <p>Allows MC9090 Condensation Resistant Gun configuration to be used in freezer applications.</p>
Snap-on	
	<p>Modem Module MDM9001-C010R</p> <p>Snaps on to the MC90XX and provides modem connectivity.</p>
	<p>Magnetic Stripe Reader MSR9001-100R</p> <p>Captures data from magnetic stripe cards.</p>
	<p>Modem Dongle MDM9000-100R</p> <p>Provides modem connectivity to the MC9000 through the terminal or the single slot cradle.</p>
Miscellaneous	
	<p>MC90XX Wall Mounting Bracket KT-61498-01R</p> <p>Order one for Single Slot cradle and one for the SAC9000. Order two for Four Slot Cradles. Order Cradle Bracket separately to attach to the wall mount bracket.</p>
	<p>MC90XX Cradle Bracket KT-61499-01R</p> <p>Order one for Single Slot cradle and one for the SAC9000. Order two for Four Slot Cradles. Attaches to the bottom of the cradle.</p>
	<p>Screen Protector KT-93176-03R</p> <p>Adds an additional level of protection for the MC90XX screen to protect against scratches. (3-pack).</p>

MC9090 Accessories (continued)

Miscellaneous (continued)	
	<p>Stylus Kit KT-81680-50R</p> <p>Replacement gray stylus with tether for MC9090-G (50-pack).</p>
	<p>Stylus Kit KT-81680-03R</p> <p>Replacement gray stylus with tether for MC9090-G (3-pack).</p>
	<p>Stylus Kit 11-43912-03R</p> <p>Replacement gray stylus with tether for MC90XX-K/S (3-pack). Attaches to the handstrap.</p>
	<p>Stylus Kit 11-43912-50R</p> <p>Replacement gray stylus with tether for MC90XX-K/S (50-pack). Attaches to the handstrap.</p>
	<p>Tether Kit 11-42722-03R</p> <p>Contains three tethers for connecting a stylus to the MC906X-K/S and MC909X-K/S.</p>
	<p>Tether Kit 11-42722-50R</p> <p>Contains 50 tethers for connecting a stylus to the MC906X-K/S and MC909X-K/S.</p>
	<p>Stylus Kit KT-85555-03R</p> <p>Replacement yellow stylus for MC90X-K/S (3-pack).</p>
	<p>Stylus Kit KT-85555-10R</p> <p>Replacement yellow stylus for MC90X-K/S (10-pack).</p>
	<p>Stylus Kit 160-0362R</p> <p>Replacement dark gray stylus (3-pack).</p>
	<p>Rugged Hand Strap SG-MC9023204-01R</p> <p>Replacement rugged handstrap for the MC906X-S configuration.</p>

MC9090 Accessories (continued)

Miscellaneous (continued)	
	<p>Rugged Hand Strap SG-MC9023204-02R</p> <p>Replacement rugged handstrap for the MC909X-S configuration.</p>
	<p>Belt Clip KT-70147-01R</p> <p>For use with the MC90XX-G only. Attaches to a user's belt.</p>
	<p>Headset 50-11300-050R</p> <p>Wired plug-in headset for superior and convenient use.</p>
	<p>UBC2000 Wall Mount Kit KT-32665-01R</p> <p>Use for mounting UBC2000 onto a wall.</p>
	<p>Voice Picking Kit KT-104458-01R</p> <p>For use with the MC90XX-K. Includes holster (SG-MC9021110-02R).</p>
<p>No Photo Available</p>	<p>Voice Picking Kit KT-104458-02R</p> <p>For use with the MC90XX-K. Purchase holster separately.</p>